

**RECEIVED
CENTRAL FAX CENTER**

OCT 25 2005



9405 SW Gemini Drive, Beaverton, OR 97008 USA
T. +1 503.469.4800 F. +1 503.469.4777 www.digimarc.com

FACSIMILE TRANSMITTAL

DATE: October 25, 2005

TO: Commissioner of Patents

FAX: 571-273-8300

FROM: Joel R. Meyer

PAGES: 12(including cover)

RE: U.S. Patent Application No. 10/017,677

FILED: December 13, 2001

FOR: FORENSIC DIGITAL WATERMARKING
WITH VARIABLE ORIENTATION AND
PROTOCOLS

ART UNIT: 2134


DOCKET NO.: P0502

☒ Urgent☐ For Review☐ Please Reply**FACSIMILE COVER LETTER**

Attached is an Amendment and Transmittal Letter with deposit account authorization for the above referenced application.

CERTIFICATE OF FAXING

I hereby certify that these papers are being facsimile transmitted to the US Patent Office, 571-273-8300 on October 25, 2005.


Joel R. Meyer, Reg. No. 37,677
Attorney for Applicant

If you do not receive all pages or if you have problems receiving transmittal, please call us at 503-469-4800.

The information contained in this fax is confidential and may be legally privileged. It is intended solely for the addressee. Access to this fax by anyone else is not authorized. If you have not the intended recipient, any disclosure, copying, distribution or any action you take or fail to take in reliance on it, is prohibited and may be unlawful.

JRM:imp 10/25/05

PATENT

Attorney's Matter No. P0502

RECEIVED
CENTRAL FAX CENTER

OCT 25 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Art Unit 2134

Kenneth L. Levy

Confirmation No. 9557

Application No.: 10/017,677

Filed: December 13, 2001

For: FORENSIC DIGITAL
WATERMARKING WITH VARIABLE
ORIENTATION AND PROTOCOLS

Examiner: P. Poltorak

Date: October 25, 2005

CERTIFICATE OF FACSIMILE

I hereby certify that this correspondence and any documents referred to as being attached are being facsimile transmitted to the Patent and Trademark Office to 571-273-8300 on October 25, 2005.


Joel R. Meyer
Attorney for ApplicantTRANSMITTAL LETTERMAIL STOP AMENDMENT
COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

Enclosed is an Amendment for the above application. The fee has been calculated as shown below.

| CLAIMS AS AMENDED | | | | | |
|---|---------------------|-------------------------|---------------|----------|----------|
| For | No. after amendment | No. paid for previously | Present Extra | Rate | Fee |
| Total Claims | 20 | 20 | = 0 | \$50.00 | \$0.00 |
| Indep. Claims | 3 | 3 | = 0 | \$200.00 | \$0.00 |
| Two-month Extension of Time | | | | | \$450.00 |
| TOTAL ADDITIONAL FEE FOR THIS AMENDMENT | | | | | \$450.00 |

- ☒ Applicant petitions for an extension of time for the number of months indicated above. If a further extension of time is required, please consider this a petition therefor.
- ☒ Please charge \$450.00 (fee for extension if time) and any additional fees which may be required in connection with filing this Amendment and any extension of time, or credit any overpayment, to Deposit Account No. 50-1071.

Date: October 25, 2005

CUSTOMER NUMBER 23735

Phone: 503-469-4800
FAX 503-469-4777

Respectfully submitted,

DIGIMARC CORPORATION

By


Joel R. Meyer

Registration No. 37,677

00000018 501071 10017677
10/27/2005 RDMAS
450.00 DA

JRM:dks 10/25/05 P0502

PATENT
RECEIVED
CENTRAL FAX CENTER
OCT 25 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Art Unit 2134

Kenneth L. Levy

Confirmation No. 9557

Application No.: 10/017,677

Filed: December 13, 2001

For: FORENSIC DIGITAL
WATERMARKING WITH VARIABLE
ORIENTATION AND PROTOCOLS

Examiner: P. Poltorak

Date: October 25, 2005

CERTIFICATE OF FACSIMILE

I hereby certify that this correspondence and any documents referred to as being attached are being facsimile transmitted to the Patent and Trademark Office to 571-273-8300 on October 25, 2005.



Joel R. Meyer
Attorney for Applicant

AMENDMENT

MAIL STOP AMENDMENT
COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Responsive to the Office Action dated May 25, 2005, please amend the subject application as follows: